Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	229456	((second adj2 process$3) multiprocess$3 multi-process$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:41
L2	837	(store stored) near5 configuration near8 flash	US-PGPUB; USPAT	OR	ON	2007/11/23 15:41
L3	162	L1 & L2	US-PGPUB; USPAT	OR	ON	2007/11/23 15:41
L4	4012	(sleep "low power") with (flash nv nonvolatile non-volatile)	US-PGPUB; USPAT	OR	OFF	2007/11/23 15:41
L5	3117	flash & L4	US-PGPUB; USPAT	OR	OFF	2007/11/23 15:41
L6	206	L5 & L1	US-PGPUB; USPAT	OR	OFF	2007/11/23 15:41
L7	17	(sleep "low power") with (configuration near8 (flash nv nonvolatile non-volatile))	US-PGPUB; USPAT	OR	OFF	2007/11/23 15:41
L8	11	L7 & flash	US-PGPUB; USPAT	OR	OFF	2007/11/23 15:41
L9	674	"shared memory" near3 table	US-PGPUB; USPAT	OR	ON	2007/11/23 15:42
L10	229	L9 & L1	US-PGPUB; USPAT	OR	ON	2007/11/23 15:42
L11	1280	processor near3 inactive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:42
L12	537	L1 & L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:42
L13	63	(inactive near3 status) near5 (written read stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:42

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	13	L1 & L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:42
L15	1635	((second adj2 process$3) multiprocess$3 multi-process$4) near5 interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43
L16	2799	(interrupt near3 synchroni$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43
L17	121	L15 & L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43
L18	121	L15 & L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43
L19	3168	inactive near3 status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43
L20	20	L12 & L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43
L21	388	(("low power" sleep) near3 (state status)) near5 (written read stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43

EAST Search History

Ref#	Hits	Search Query	Databases	Op	On/Off	Time
L22	76	L1 & L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:43
S1	3	"307146".AP.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 20:18
S2	1	synchbyte	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 20:40
S3	34	((second adj2 process$3) multiprocess$3 multi-process$4) near5 smi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 12:11
S4	2	"US 20050086405"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/03/14 22:46
S5	1532	((second adj2 process$3) multiprocess$3 multi-process$4) near5 interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:33
S6	30	((second adj2 process$3) multiprocess$3 multi-process$4) near8 (interrupt near3 synchroni$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:56
S7	32	smi near5 synchroni$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:16

EAST Search History

Ref#	Hits	Search Query	Databases	Op	On/Off	Time
S8	2657	(interrupt near3 synchroni$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:56
S9	114	S5 & S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:56
S10	14	smi & S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:59
S11	100	S9 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:00
S12	8	(power near3 (save saved saving low)) & S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:30
S13	0	"low power" near3 state near5 (status near3 (updated stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:31
S14	0	"low power" near3 state with (status near3 (updated stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:34
S15	650	(("low power" inactive) near3 state) with (stored saved)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 13:35

EAST Search History

S24	19	S22 & S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:52
S25	393	S19 & S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:52
S26	57	(inactive near3 status) near5 (written read stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:57
S27	13	S19 & S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:53
S28	137	("low power" near3 (state status)) near5 (written read stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:58
S29	351	(("low power" sleep) near3 (state status)) near5 (written read stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:59
S30	70	S19 & S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:09
S31	5	(flag near3 (set sets setting)) near5 ("low power" near2 state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:54

EAST Search History

S16	305	(("low power" inactive) near3 state) with ((status state) near5 (stored saved))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 15:21
S17	2	S5 & S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 15:19
S18	4	(("low power" inactive) near3 state) with ((status) near5 (stored saved))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 15:33
S19	210195	((second adj2 process$3) multiprocess$3 multi-process$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:34
S20	20	S16 & S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:39
S21	1176	processor near3 inactive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:43
S22	499	S19 & S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:44
S23	2842	inactive near3 status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 15:52

EAST Search History

(Page 8)

Ref	Hits	Search Query	DBs	Op	Default Operator	Plurals	Time Stamp
S48	510	(share exclusive) near3 flag	US-PGPUB; USPAT	OR	ON		2007/03/15 20:41
S49	9	S47 & S48	US-PGPUB; USPAT	OR	ON		2007/03/15 23:17
S50	4267	flash near5 configuration	US-PGPUB; USPAT	OR	ON		2007/03/15 21:04
S51	425	S19 & S50	US-PGPUB; USPAT	OR	ON		2007/03/15 21:32
S52	18	(US-20040107369-$ or US-20050086405-$ or US-20020099893-$ or US-20050138629-$ or US-20060212733-$ or US-20050044202-$ or US-20040225907-$ or US-20030126186-$).did. or (US-7152169-$ or US-6282601-$ or US-5781187-$ or US-6363439-$ or US-5930511-$ or US-6347372-$ or US-6269396-$ or US-5742842-$ or US-6986069-$ or US-6662272-$).did.	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:07
S53	4	S52 & flash	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:11
S54	119	(sleep "low power") & S51	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:21
S55	0	(sleep "low power") near8 (save store) near5 configuration with flash	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:21
S56	6	(sleep "low power") near8 configuration with flash	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:24
S57	14	(sleep "low power") with (configuration near8 (flash nv nonvolatile non-volatile)	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:27
S58	8	S57 & flash	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:26
S59	3495	(sleep "low power") with (flash nv nonvolatile non-volatile)	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:27
S60	2691	flash & S59	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:27
S61	181	S60 & S19	US-PGPUB; USPAT	OR	OFF		2007/03/15 21:29
S62	713	(store stored) near5 configuration near8 flash	US-PGPUB; USPAT	OR	ON		2007/03/15 21:32
S63	140	S19 & S62	US-PGPUB; USPAT	OR	ON		2007/03/15 21:33
S65	585	"shared memory" near3 table	US-PGPUB; USPAT	OR	ON		2007/03/15 23:18

EAST Search History

(Page 7)

Ref	Hits	Search Query	DBs	Op	Default Operator	Plurals	Time Stamp
S32	363	smi near8 software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON		2007/03/15 16:54
S33	16	(US-20040107369-$ or US-20050086405-$ or US-20020099893-$ or US-20050138629-$ or US-20060212733-$ or US-20050044202-$ or US-20040225907-$).did. or (US-7152169-$ or US-6282601-$ or US-5781187-$ or US-6363439-$ or US-5930511-$ or US-6347372-$ or US-6269396-$ or US-5742842-$ or US-6986069-$).did.	US-PGPUB; USPAT	OR	OFF		2007/03/15 16:55
S34	6	S32 & S33.did.	US-PGPUB; USPAT	OR	OFF		2007/03/15 17:05
S35	4738	logical near3 processor	US-PGPUB; USPAT	OR	ON		2007/03/15 17:12
S36	4	S33 & S35	US-PGPUB; USPAT	OR	ON		2007/03/15 17:07
S37	1980	S19 & S35	US-PGPUB; USPAT	OR	ON		2007/03/15 17:10
S38	26	S37 & smi	US-PGPUB; USPAT	OR	ON		2007/03/15 17:07
S39	782	"logical processor"	US-PGPUB; USPAT	OR	ON		2007/03/15 17:12
S40	515	S19 & S39	US-PGPUB; USPAT	OR	ON		2007/03/15 18:46
S41	0	(peripheral device) near5 ("in use" inuse) near8 flag	US-PGPUB; USPAT	OR	ON		2007/03/15 18:48
S42	162	(peripheral device) near5 ("in use" inuse)	US-PGPUB; USPAT	OR	ON		2007/03/15 18:49
S43	3	S19 & S42	US-PGPUB; USPAT	OR	ON		2007/03/15 18:48
S44	1876	(peripheral device) near5 (active busy "in use" inuse) near8 (flag stored register)	US-PGPUB; USPAT	OR	ON		2007/03/15 20:40
S45	287	S19 & S44	US-PGPUB; USPAT	OR	ON		2007/03/15 18:50
S46	36442	(peripheral device) near3 shar$3	US-PGPUB; USPAT	OR	ON		2007/03/15 20:40
S47	5224	S19 & S46	US-PGPUB; USPAT	OR	ON		2007/03/15 20:41

EAST Search History

S66	208	S65 & S19	US-PGPUB; USPAT	OR	ON	2007/03/15 23:17
S67	44	S65 & S19 & S46	US-PGPUB; USPAT	OR	ON	2007/03/15 23:17
S68	3086	shared near3 table	US-PGPUB; USPAT	OR	ON	2007/03/15 23:18
S69	263	S68 & S19 & S46	US-PGPUB; USPAT	OR	ON	2007/03/15 23:18
S70	5224	S46 & S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 23:41